Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II / Regulation (EU) No. 2015/830.

Date of issue/ Date of revision : 10.01.2021



SAFETY DATA SHEET

Boost Fertilizer

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Boost Fertilizer

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Industrial distribution.

Industrial USE to formulate chemical product mixtures.

Professional formulation of fertiliser products.

Professional USE as fertiliser at Farm - loading and spreading.

Professional USE as fertiliser in Greenhouse.

Professional USE as liquid fertiliser in open field (e.g. Fertigation).

Professional USE as fertiliser - maintenance of equipment.

Uses advised against	: Other non-specified industry	
Reason	 Due to lack of related experience or data, the supplier 	
	cannot approve this use.	

1.3 Details of the supplier of the safety data sheet

Dutch Ground Control

Address

Street: Kikkertweg 62Postal code: 1521RGCity: WormerveerCountry: The NetherlandsTelephone number: +31 (0)23 23 40 855

e-mail address of person : info@dutchgroundcontrol.com

responsible for this SDS

1.4 Emergency telephone number

Date of issue : 10.01.2021 Page:1/19

Supplier Telephone number : 0031 30 274 88 88 (24h only for medical proffecionals)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture. **Product definition** Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification Ox. Sol. 3, H272

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms

Signal word Warning

Hazard statements H272 May intensify fire; oxidizer.

Precautionary statements

Prevention P210 Keep away from heat, hot surfaces, sparks,

Applicable, Table 65.

open flames and other ignition sources. No

smoking.

P220 Keep away from clothing and other

combustible materials.

Response P370 In case of fire:

P378-b Use flooding quantities of water to

extinguish.

EU Regulation (EC) No.

1907/2006 (REACH) Annex XVII

- Restrictions on the

manufacture, placing on the market and use of certain

dangerous substances,

mixtures and articles

Special packaging requirements

Containers to be fitted with Not applicable.

Date of issue: 10.01.2021 Page:2/19 child-resistant fastenings

Tactile warning of danger : Not applicable.

2.3 Other hazards

Other hazards which do not result in classification

Product forms slippery surface when combined with water.

SECTION 3: Composition/information on ingredients

3.2 Mixtures Mixture

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
Potassium nitrate	RRN: 01-2119488224- 35 EC: 231-818-8 CAS: 7757-79-1	>= 70 - < 80	Ox. Sol. 3, H272	[1]
boric acid	RRN: 01-2119486683- 25 EC: 233-139-2 CAS: 10043-35-3 Index: 005-007-00-2	>= 0.1 - < 0.2	Repr. 1B, H360FD (Fertility, Unborn child)	[1]

Type

- [1] Substance classified with a physical, health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Remarks This product contains Boron (see section 7 and 11).

The content is below the level required for classification of

the product as toxic to reproduction.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact Rinse with plenty of running water. Check for and remove any

contact lenses. Get medical attention if irritation occurs.

Date of issue: 10.01.2021 Page:3/19

Inhalation : If inhaled, remove to fresh air. In case of inhalation of

decomposition products in a fire, symptoms may be delayed. Get medical attention if you feel unwell. The exposed person may need to be kept under medical surveillance for 48 hours.

Skin contact: Wash with soap and water. Get medical attention if irritation

develops.

Ingestion : Wash out mouth with water. If material has been swallowed and

the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if you feel unwell.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Eye contact : No specific data.

Inhalation : No specific data.

Skin contact : No specific data.

Ingestion : No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept

under medical surveillance for 48 hours.

Specific treatments : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Use flooding quantities of water for extinction.

Unsuitable extinguishing

media

Do NOT use chemical extinguisher or foam or attempt to

smother the fire with steam or sand.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or : mixture

Oxidizing material. May intensify fire. The product itself is not combustible but it can support combustion, even in absence of air. On heating it melts and further heating can cause decomposition, releasing toxic fumes containing nitrogen oxides. It has high resistance to detonation. Heating under strong confinement can lead to explosive behaviour.

Hazardous combustion products

: Decomposition products may include the following

materials:

Date of issue: 10.01.2021 Page:4/19

nitrogen oxides sulfur oxides phosphorus oxides metal oxide/oxides ammonia

Avoid breathing dusts, vapors or fumes from burning materials.

In case of inhalation of decomposition products in a fire, symptoms may be delayed.

5.3 Advice for firefighters

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill

: Move containers from spill area. If contaminated with combustible material or reactive chemicals, use spark-proof tools and explosion-proof equipment. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

Date of issue: 10.01.2021 Page:5/19

Large spill

Move containers from spill area. If contaminated with combustible material or reactive chemicals, use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

See Section 1 for emergency contact information.
 See Section 8 for information on appropriate personal protective equipment.
 See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Not for human or animal consumption.

Protective measures

Put on appropriate personal protective equipment (see Section 8). As a precaution, keep exposure as low as possible for pregnant women, children and workers in reproductive age. Avoid dust generation. Do not breathe dust. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from clothing, incompatible materials and combustible materials. Keep away from heat. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Recommendations

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Separate from reducing agents and combustible materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep away from: organic materials, oil and grease.

Seveso Directive - Reporting thresholds

Date of issue: 10.01.2021 Page:6/19

Danger criteria

Category	Notification and MAPP threshold	Safety report threshold
Potassium nitrate	1,250 t	5,000 t

7.3 Specific end use(s)

Recommendations

: Do not generate and inhale liquid fertilizer aerosols.

In addition to overalls, gloves and eye protection, use of efficient respiratory protection (P2/P3 respirators with a tight face seal) during discharge of fertilizer bags and maintenance of equipment is recommended to minimize inhalation exposure and to ensure safe-use during this activity (see section 8).

Risk assessments show safe use during normal spreading of fertilizers containing below 5% of boron by tractor (liquid or granular) and backpack (liquid).

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Remark

Occupational exposure limits

occupational expectate inities

Recommended monitoring procedures

: No exposure limit value known.

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Reference should be made to monitoring standards, such as the following:

European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy)

European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents)

European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the

measurement of chemical agents)

Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredie Type	Exposure	Value	Population	Effects	
					_
Date of issue : 10.01.2021				Page:7/19	

nt name					
boric acid	DNEL	Long term Inhalation	8.3 mg/m ³	Workers	Systemic
	DNEL	Long term Dermal	392 mg/kg bw/day	Workers	Systemic

PNECs

Product/ingredient name	Туре	Compartment Detail	Value	Method Detail
Potassium nitrate	PNEC	Sewage Treatment Plant	18 mg/l	Assessment Factors

8.2 Exposure controls

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

Hygiene measures

A washing facility or water for eye and skin cleaning purposes should be present. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Skin protection Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. For general applications, we recommend gloves with a thickness typically greater than 0.35 mm. It should be emphasized that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Use respiratory protection with more than 94% efficiency (P2, P3 or N95) and a tight face seal, when risk of exposure to dust.

Environmental exposure

Emissions from ventilation or work process equipment

Date of issue: 10.01.2021 Page:8/19

controls should be checked to ensure they comply with the

requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary

to reduce emissions to acceptable levels.

Personal protective equipment

(Pictograms)







SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state solid

Color Not determined. Odor Not determined. Odor threshold Not determined. pН Not determined Melting point/freezing point Not determined Initial boiling point and boiling Not determined

range

Flash point Not determined **Evaporation rate** Not determined Flammability (solid, gas) Non-flammable.

Upper/lower flammability or

explosive limits **Upper:** Not determined

Vapor pressure Not determined Vapor density Not determined Relative density Not determined **Bulk density** Not determined Partition coefficient: n-Not determined octanol/water

Auto-ignition temperature

Not determined

Viscosity Dynamic: Not determined. Kinematic: Not determined.

Explosive properties Non-explosive. Oxidizing properties Oxidizer

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity No specific test data related to reactivity available for this

product or its ingredients.

Lower: Not determined

10.2 Chemical stability The product is stable.

10.3 Possibility of hazardous

reactions

Hazardous reactions or instability may occur under certain

conditions of storage or use.

Conditions may include the following: contact with combustible materials Reactions may include the following:

Date of issue: 10.01.2021 Page:9/19 risk of causing or intensifying fire

10.4 Conditions to avoid : Avoid contamination by any source including metals, dust

and organic materials.

10.5 Incompatible materials : Reactive or incompatible with the following materials:

alkalis

combustible materials reducing materials organic materials

Acids

10.6 Hazardous : Under normal conditions of storage and use, hazardous

decomposition products decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredie	Method	Species	Result	Exposure	References
nt name					
boric acid					
	LD50 Oral	Rat	3,450 mg/kg	Not applicable.	IUCLID 5
	LD50 Dermal	Rabbit	> 5,000 mg/kg	Not applicable.	IUCLID
Potassium nitrate					
	LD50 Oral	Rat	2,000 - 5,000 mg/kg	Not applicable.	CSR
	LD50 Dermal	Rat	> 5,000 mg/kg	Not applicable.	CSR

Conclusion/Summary : No known significant effects or critical hazards.

Irritation/Corrosion

Product/ingredient name	Method	Species	Result	Exposure	References
Potassium nitrate					
	OECD 404 Skin	Rabbit	Non- irritating.		IUCLID 5

Conclusion/Summary

Skin
 Eyes
 No known significant effects or critical hazards.
 Respiratory
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

Sensitization

Conclusion/Summary

SkinRespiratoryNo known significant effects or critical hazards.No known significant effects or critical hazards.

Mutagenicity

Date of issue: 10.01.2021 Page:10/19

Conclusion/Summary No known significant effects or critical hazards.

Carcinogenicity

Conclusion/Summary No known significant effects or critical hazards.

Reproductive toxicity

Product/ingredient name	Method	Species	Result	Exposure	References
boric acid					
	Oral	Rat	Fertility effects- Positive NOEL	3 weeks Repeated dose	IUCLID 5

Conclusion/Summary Contains boron which may harm fertility, based on animal

data. Contains boron which may harm the unborn child,

based on animal data.

Information on the likely

routes of exposure

Not available.

Potential acute health effects

Inhalation Exposure to decomposition products may cause a health

hazard. Serious effects may be delayed following

exposure.

Ingestion No known significant effects or critical hazards.

Skin contact No known significant effects or critical hazards.

Eye contact No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation No specific data.

Ingestion No specific data.

Skin contact No specific data.

Eye contact No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects No known significant effects or critical hazards.

Potential delayed effects No known significant effects or critical hazards.

Long term exposure

Potential immediate effects No known significant effects or critical hazards.

Potential delayed effects No known significant effects or critical hazards.

Potential chronic health effects

Carcinogenicity No known significant effects or critical hazards.

Date of issue: 10.01.2021 Page:11/19

Mutagenicity: No known significant effects or critical hazards.

Fertility effects : Contains boron which may harm fertility, based on animal

data.

Developmental effects : Contains boron which may harm the unborn child, based

on animal data.

Effects on or via lactation : No known significant effects or critical hazards.

Other effects : No known significant effects or critical hazards.

Other information : Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingred ient name	Method	Species	Result	Exposure	References
boric acid					
	Acute LC50 Fresh water	Fish	> 100 mg/l	4 d	IUCLID
	Acute EC50 Fresh water	Daphnia	> 100 mg/l	2 d	IUCLID
Potassium nitrate	!				
	OECD 203 Acute LC50 Fresh water	Fish	> 100 mg/l	96 h	CSR
	Acute EC50 Fresh water	Daphnia	490 mg/l	48 h	CSR
	Acute EC50 Fresh water	Algae	> 1,700 mg/l	240 h	CSR

Conclusion/Summary: No known significant effects or critical hazards.

12.2 Persistence and degradability

Conclusion/Summary: No known significant effects or critical hazards.

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
boric acid	0.175-1.09	Not applicable.	low

Conclusion/Summary: No known significant effects or critical hazards.

12.4 Mobility in soil

Soil/water partition coefficient : Not available.

(KOC)

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

Date of issue : 10.01.2021 Page:12/19

12.6 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with

jurisdiction.

Hazardous waste

Yes.

European waste catalogue (EWC)

Waste code	Waste designation
06 10 02*	wastes containing hazardous substances

Packaging

Methods of disposal

: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. Empty the bag by shaking to remove as much as possible of its contents. Empty bags may be disposed of as non-hazardous material or returned for recycling.

Special precautions

 This material and its container must be disposed of in a safe way.

Care should be taken when handling emptied containers that have not been cleaned or rinsed out.

Empty containers or liners may retain some product

residues.

Avoid dispersal of spilled material and runoff and contact

with soil, waterways, drains and sewers.

SECTION 14: Transport information

Regulation: ADR/RID	
14.1 UN number	1479
14.2 UN proper shipping name	OXIDIZING SOLID, N.O.S. (Potassium nitrate,)
14.3 Transport hazard class(es)	5.1

Date of issue: 10.01.2021 Page:13/19

	5.1
14.4 Packing group	
14.5 Environmental hazards	No.
Additional information	
Hazard identification number	: 50
<u>Tunnel code</u>	: (E)

Regulation: ADN	
14.1 UN number	1479
14.2 UN proper shipping name	OXIDIZING SOLID, N.O.S. (Potassium nitrate,)
14.3 Transport hazard class(es)	5.1
14.4 Packing group	
14.5 Environmental hazards	No.
Additional information	
<u>Danger code</u>	: Not applicable.

Regulation: IMDG	
14.1 UN number	1479
14.2 UN proper shipping name	OXIDIZING SOLID, N.O.S. (Potassium nitrate,)
14.3 Transport hazard class(es)	5.1
14.4 Packing group	
14.5 Environmental hazards	No.
Additional information	
Marine pollutant	: No.
Emergency schedules (EmS)	: F-A, S-Q

Regulation: IATA	
14.1 UN number	1479
14.2 UN proper shipping name	OXIDIZING SOLID, N.O.S. (Potassium nitrate,)
14.3 Transport hazard class(es)	5.1

Date of issue : 10.01.2021 Page:14/19

	5.1
14.4 Packing group	III
14.5 Environmental hazards	No.
Additional information Marine pollutant	: No.

14.6 Special precautions for

user

Transport within user's premises: Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

14.8 IMSBC

Bulk cargo shipping name : OXIDIZING SOLID, N.O.S. Class 5.1: Oxidizing material.

Group : B

Marpol V : Non-HME

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Annex XIV: None of the components are listed.

<u>Substances of very high concern</u>: The following components are listed:

Ingredient name	Intrinsic property	Status	Reference number	Date of revision
boric acid	Toxic to reproduction	Candidate	ED/30/2010	2015-07-01

Applicable, Table 65.

EU Regulation (EC) No.

1907/2006 (REACH) Annex XVII

- Restrictions on the

manufacture, placing on the

market and use of certain

dangerous substances,

mixtures and articles

Other EU regulations

Ozone depleting substances (1005/2009/EU)

None of the components are listed.

Prior Informed Consent (PIC) (649/2012/EU)

None of the components are listed.

Date of issue : 10.01.2021 Page:15/19

Seveso Directive

This product is controlled under the Seveso Directive.

Danger criteria

Category

Potassium nitrate

Other regulations :

This product is subject to Regulation (EU) 98/2013, all suspicious transactions, disappearances and thefts should

be reported to the relevant authority.

National regulations

Biocidal products regulation : Not applicable.

Notes : To our knowledge no other country or state specific

regulations are applicable.

15.2 Chemical Safety

Assessment

Complete.

SECTION 16: Other information

Abbreviations and acronyms : ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation

[Regulation (EC) No. 1272/2008]
DNEL = Derived No Effect Level
DMEL = Derived Minimal Effect Level

EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration

RRN = REACH Registration Number

PBT = Persistent, Bioaccumulative and Toxic vPvB = Very Persistent and Very Bioaccumulative

bw = Body weight

Key data sources : EU REACH IUCLID5 CSR.

National Institute for Occupational Safety and Health, U.S. Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical

Substances.

Sphera Solutions Inc., 4777 Levy Street, St Laurent,

Quebec HAR 2P9, Canada.

Regulation (EC) No 1272/2008 Annex VI.

<u>Procedure used to derive the classification according to Regulation (EC) No. 1272/2008</u> [CLP/GHS]

Classification	Justification	
Ox. Sol. 3, H272	Expert judgment	

Full text of abbreviated H statements

H272	May intensify fire; oxidizer.
	,

Date of issue : 10.01.2021 Page:16/19

		Boost Fertilizer

H360FD	May damage fertility. May damage the unborn child.

Full text of classifications [CLP/GHS]

Ox. Sol. 3, H272	OXIDIZING SOLIDS - Category 3
Repr. 1B, H360FD	TOXIC TO REPRODUCTION (Fertility, Unborn child) - Category
	1B

Notice to reader

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as at the date of its issue. The information it contains is being given for safety guidance purposes and relates only to the specific material and uses described in it. This information does not necessarily apply to that material when combined with other material(s) or when used otherwise than as described herein, since all materials may represent unknown hazards and should be used with caution. Final determination of the suitability of any material is the sole responsibility of the user.

Date of issue: 10.01.2021 Page:17/19

Annex to the extended Safety Data Sheet (eSDS) - Exposure Scenario/Safe Use Information:

Identification of the substance or mixture

Product definition : Mixture

Product name : Boost Fertilizer

Exposure Scenario/Safe: Not applicable.

Use Information

Date of issue: 10.01.2021 Page:18/19

Date of issue: 10.01.2021 Page:19/19